



RC 2
TESTED
BURGLAR-PROOF
DIN EN 1627

MADE IN GERMANY

DOORS

2017 COMPLETE CATALOGUE





DESIGN & STYLE
MODERN & TIMELESS
LIGHT & ELEGANT





PERFECT DESIGN. CUTTING-EDGE TECHNOLOGY. ATTRACTIVE PRICES.

Groke home entrance doors made of thermally insulated aluminium profiles are among the best products available on the German market for architectural elements.

The doors reflect our emphasis on superior workmanship, attractive designs, durability, reliability and value retention. Groke home entrance doors are manufactured to meet our company's strict internal standards and are the result of over 100 years of experience in the field of metal fabrication.

With us, you're sure to find inspiration. After all, a stylish home begins at the front door!

TEST CERTIFICATES

All Groke aluminium front doors meet the requirements of the EN 14351-1 European door product standard for external doors, as confirmed by an accredited independent testing institute.

The latest advances in areas of quality, functionality and safety are a part of your exterior door, which means that you get a truly superior product – one that will also retain its value for years to come.

Our test certificates are available from the download page of our website at www.groke.de.

USING ENERGY-SAVING THERMAL INSULATION ON FRONT DOORS SAVES COLD HARD CASH




It's a simple equation: high thermal insulation equals low energy costs. Most building codes and environmental regulations call for high levels of thermal insulation. The thermally insulated Groke aluminium exterior door has a low U_d value. And the lower the U_d value, the lower the heat and energy losses.


Front doors from Groke include outstanding thermal insulation as a standard feature. The use of the optimally insulated Groketherm "GT 90" Symphonie and Arcade 3-chamber profile system with added insulation in the insulation zone translates into full compliance with energy savings regulations.

You can find the U_d values for the Groke front door model of your choice in the tables provided next to the models (Index 2). A door's U_d value / heat transfer coefficient is calculated from the following information:

- >> U_g = thermal insulation value for glazing
- >> U_p = thermal insulation value for door panel
- >> U_f = thermal insulation value for profiles

(Calculated in accordance with DIN EN ISO 10077-1. The calculated U_d values are based on a door with an aluminium panel and dimensions of 1100 mm x 2100 mm).





GROKE EXTERIOR DOOR TECHNOLOGY: GREATER STABILITY, MORE THERMAL INSULATION, BETTER SEALING & SUPERIOR SOUND INSULATION

Groke aluminium front doors impress with their stability and sturdiness thanks to a depth of 90 mm and material thicknesses of up to 3 mm. The heaviness of the door gives an impression of genuine quality. A stable joint between the frame and sill facilitates installation and ensures that the structure will be extremely resilient and durable.

As a standard feature, three sealing layers along the entire edge of the door provide a high level of wind and weather proofing. Only a tightly sealed door offers proper thermal and sound insulation, and a Groke front door is as well sealed as any window. Have a look at the product features and see for yourself.



PANEL
42/94 MM

- Highly insulated with thermal foam, depending on the profile type



3 SEALING LEVELS

- Four-sided continuous centre bar and interior seals along entire edge
- Three-sided exterior seal along edge



DOOR SILL

- Thermally insulated aluminium door sill for older buildings (standard)
- For new buildings: PVC floor recess profiles 25/50/100 mm, can be combined as needed (surcharge)



INSULATION ZONE
WITH ADDED
INSULATION

- Extremely high thermal insulation value



WALL THICKNESS OF
UP TO 3 MM

- Torsion-resistant profile
- Extremely high structural stability



WEATHER STRIP

- Drains water away from sill area
- Riveted to door panel



MOUNTING SLOT


- For concealed frame screws
- No screw heads visible
- Easy to install

VISUALLY ATTRACTIVE, WITHOUT COMPROMISING FUNCTIONALITY

High thermal insulation values are essential in times of rising energy costs. Depending on the specific profile used, Groke doors can achieve U_d values of less than $1.0 \text{ W/m}^2\text{K}$. This number can even drop below $0.71 \text{ W/m}^2\text{K}$ if the door leaf frame is covered on both sides. This means that Groke provides an ideal combination of style and thermal insulation for the entrance to your home.



CHOOSE BETWEEN:



ARCADE MODEL*
(GLAZING REBATE PANEL)

Door panel aluminium

Thickness 42 mm

Glazing: triple thermal insulation glazing P4A / WSG 9.5 mm on exterior / decorative pane in middle / float on interior

*Arcade model also available with door leaf frame covered on both sides.



DOOR LEAF FRAME COVERED ON BOTH SIDES
EXTERIOR AND INTERIOR

Door panel aluminium

Thickness 94 mm

Glazing: triple thermal insulation glazing P4A / WSG 9.5 mm on exterior / decorative pane in middle / float on interior

*Symphonie model also available with glazing rebate panel.

YOUR EXTRA PERSONAL TOUCH

Want to modify a particular model so that the door leaf frame is concealed? With or without base trim in a stainless steel finish, and perhaps a custom colour? Or are you looking for a different glass type? Your options for an individual look are virtually limitless.



CONCEALED LEAF FRAME

Variation of the basic model that gives the front door a smoother and more expansive appearance. The door panel covers the entire door leaf frame, which is otherwise visible with a glazing rebate panel.



GLASS

Insulated glazing with 9.5 mm P4A laminated safety glass and customisable decorative glass panels.



BASE

Create your own unique front door with stainless steel finish base trim featuring a matt full plate design with optional round or square cut-outs.

12530 Door similar to RAL 5012 (light blue) | Trim on base with stainless steel finish

SIDE SECTION / FANLIGHT

Variations are available with fixed side sections and fanlights in different designs.




12410 similar to RAL 9016
(traffic white) with fanlight




12541 similar to RAL 9016
(traffic white) with side
section



12400 similar to RAL 9016
(traffic white) with two side
sections





Standard feature three-point hook bolt lock

Automatic lock GU Security



Example: integrated safety catch

SAFETY FOR YOUR ENTIRE HOME

Modern locking technology ensures outstanding protection against break-ins. As a standard feature, our doors include a three-point hook bolt lock that is equipped with an upper and lower claw bolt. The GU Security automatic lock is also available as an option. Two pin retainers (standard), one each in the upper and lower part of the hinge side, prevent the door from being pried out of the frame.

A range of additional security components is available on request.





MODERN DOORS

P. 16



TIMELESS DOORS

P. 54





21

MODERN

MODERN DOORS



3
p. 20



4
p. 20



6
p. 21




7
p. 22



8
p. 23



9
p. 23



16
p. 24



12368
p. 31



12377
p. 32



12378
p. 32



12410
p. 33



12415
p. 34



12417
p. 35



12440
p. 35



12470
p. 36




12480
p. 36



12495
p. 37



12730
p. 44



12770
p. 45



12800
p. 46



12810
p. 47



12820
p. 47



12830
p. 48



12840
p. 48




12850
p. 49




12860
p. 50



12920
p. 51



17
p. 24



12160
p. 25



12200
p. 26



12240
p. 27



12270
p. 27



12363
p. 28



12364
p. 28




12365
p. 29



12366
p. 30



12367
p. 31



12500
p. 38



12510
p. 39



12520
p. 39



12605
p. 40



12610
p. 40



12620
p. 41



12630
p. 42



12640
p. 43



12650
p. 43



12690
p. 44



12940
p. 51



UP TO
0.81 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.81

3


Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82

4

Door in DB 703 (special-effect varnish)
Panel leaf frame covered both sides, in DB 703 (special-effect varnish)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82

6

Door similar to RAL 9007 (grey aluminium)

Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82

7

Door similar to RAL 9007 (grey aluminium)


Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)

Trim in stainless steel finish on exterior

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.82 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82


8

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82

9

Door similar to RAL 9006 (white aluminium)
Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.88 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88



16

Door similar to RAL 7016 (anthracite grey)

Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)

Trim in stainless steel finish on exterior


Glass P4A / WSG clear glass outside, motif glass centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)


Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.88 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88



17

Door in DB 703 (special-effect varnish)

Panel leaf frame covered both sides, in DB 703 (special-effect varnish)

Glass P4A / WSG clear glass outside, motif glass centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.94 W/M²K
 U_D VALUE



U _b VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.94

12160

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)


Grooves on exterior

Trim in stainless steel finish on exterior

Glass P4A clear glass outside, sandblasted float with motif inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.83 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.28
Leaf frame covered both sides	0.83

12200

Door similar to RAL 9006 (white aluminium)

Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)

Decorative frame in stainless steel finish on both sides

Trim in stainless steel finish on exterior

Glass P4A clear glass outside, Mastercarré white inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.85 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.28
Leaf frame covered both sides	0.85

12240

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Decorative frame in stainless steel finish on both sides
Decorative crosspieces on exterior
Glass P4A clear glass outside, Chinchilla white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82

12270

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, sandblasted Y 677 float inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.77 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12363


Door similar to RAL 8077 (brown)
Panel leaf frame covered both sides, similar to RAL 8077 (brown)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15096 (SG 405 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.77 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12364

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Grooves on exterior
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15097 (SG 406 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.77 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12365

Door similar to RAL 7016 (anthracite grey)


Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)

Trim in stainless steel finish on exterior

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.79 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.15
Leaf frame covered both sides	0.79

12366

- Door** similar to RAL 3005 (wine red)
- Panel** leaf frame covered both sides, similar to RAL 3005 (wine red)
- Trim** in stainless steel finish on exterior
- Glass** P4A / WSG clear glass outside, Satinato white centre, float inside
- Handle** 1416o (SG 416 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 1416o (SG 416)



UP TO
0.79 W/M²K
U_D VALUE





U _D VALUES	W/m ² K
Glazing rebate panel	1.15
Leaf frame covered both sides	0.79


12367

Door similar to RAL 8077 (brown)
Panel leaf frame covered both sides, similar to RAL 8077 (brown)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.79 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.15
Leaf frame covered both sides	0.79

12368

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.77 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12377


Door in DB 703 (special-effect varnish)

Panel leaf frame covered both sides, in DB 703 (special-effect varnish)

Grooves on exterior

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 1416o (SG 416 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 1416o (SG 416)



UP TO
0.77 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12378

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)


Grooves on exterior

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 1416o (SG 416 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 1416o (SG 416)



UP TO
0.76 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.22
Leaf frame covered both sides	0.76

12410

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Trim** in stainless steel finish on exterior
- Glass** P4A clear glass outside, Mastercarré white inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 52 for matching side section






UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12415


- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Grooves** on exterior
- Glass** P4A / WSG clear glass outside, Satinato white centre, float inside
- Handle** 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12417

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to 3005 (wine red)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.93 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.93

12440

Door similar to RAL 9006 (white aluminium)
Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)
Grooves on exterior
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, sandblasted float with motif inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.96 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.32
Leaf frame covered both sides	0.96



12470

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)


Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.80 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.16
Leaf frame covered both sides	0.80



12480

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.77 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.13
Leaf frame covered both sides	0.77

12495

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Trim in stainless steel finish on exterior

Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.83 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.25
Leaf frame covered both sides	0.83

12500

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Glass** P4A clear glass outside, Mastercarré white inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.89 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.26
Leaf frame covered both sides	0.89

12510

Door in DB 703 (special-effect varnish)
Panel leaf frame covered both sides, in DB 703 (special-effect varnish)
Decorative frame in stainless steel finish on exterior
Glass P4A clear glass outside, sandblasted positive/negative motif glazing inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.96 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.96

12520

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, Ornament 504 white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.87 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.26
Leaf frame covered both sides	0.87

12605

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Decorative frame in stainless steel finish on exterior
Glass P4A clear glass outside, sandblasted Parsol grey G 6 inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.86 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.29
Leaf frame covered both sides	0.86

12610

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Decorative frame in stainless steel finish on exterior
Glass P4A clear glass outside, frosted with clear glass strips inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.97 W/M²K
 U_D VALUE



U _o VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.97

12620

Door similar to RAL 9007 (grey aluminium)

Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)

Decorative frame in stainless steel finish on exterior

Glass P4A clear glass outside, Chinchilla white inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.93 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.29
Leaf frame covered both sides	0.93

12630

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Grooves** on exterior
- Decorative frame** in stainless steel finish on exterior
- Glass** P4A clear glass outside, Mastercarré white inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.08 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.33
Leaf frame covered both sides	1.08

12640

Door similar to RAL 9007 (grey aluminium)

Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)

Trim in stainless steel finish on exterior

Glass P4A clear glass outside, sandblasted K 093 float inside


Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 52 for matching side section



UP TO
0.87 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.25
Leaf frame covered both sides	0.87

12650

Door similar to RAL 7016 (anthracite grey)

Panel leaf frame covered both sides, similar to RAL7016 (anthracite grey)

Trim in stainless steel finish on exterior

Glass P4A clear glass outside, Chinchilla white inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.74 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.26
Leaf frame covered both sides	0.74

12690

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Trim in stainless steel finish on exterior
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 14030 (SG 403)

See page 53 for matching side section



UP TO
1.46 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12730

Door similar to RAL 9007 (grey aluminium)
Panel triple glazing
Decorative field trim in stainless steel finish
Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.46 W/M²K
 U_D VALUE



U _o VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12770

Door in DB 703 (special-effect varnish)

Panel triple glazing

Decorative field trim in stainless steel finish, clear glass motif

Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
1.46 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12800

Door similar to RAL 9006 (white aluminium)
Panel glazing rebate panel similar to RAL 9006 (white aluminium)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.46 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12810

Door similar to RAL 8077 (brown)
Panel glazing rebate panel similar to RAL 8077 (brown)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.46 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12820

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
1.44 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.44
Leaf frame covered both sides	—

12830

Door similar to RAL 9006 (white aluminium)
Panel glazing rebate panel similar to RAL 9006 (white aluminium)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.46 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12840

Door similar to RAL 9007 (grey aluminium)
Panel glazing rebate panel similar to RAL 9007 (grey aluminium)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
1.46 W/M²K
 U_D VALUE



U _o VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12850

Door similar to RAL 3005 (wine red)
Panel glazing rebate panel similar to RAL 3005 (wine red)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
1.44 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.44
Leaf frame covered both sides	—

12860

Door in DB 703 (special-effect varnish)
Panel glazing rebate panel in DB 703 (special-effect varnish)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.84 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.19
Leaf frame covered both sides	0.84

12920


- Door** similar to RAL 3005 (wine red)
- Panel** leaf frame covered both sides, similar to RAL 3005 (wine red)
- Grooves** on exterior
- Trim** in stainless steel finish on exterior
- Glass** P4A clear glass outside, sandblasted F 66 float inside
- Handle** 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 53 for matching side section



UP TO
0.82 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12940

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Trim** in stainless steel finish on exterior
- Glass** P4A / WSG clear glass outside, Satinato white centre, float inside
- Handle** 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 53 for matching side section



MATCHING SIDE SECTIONS



12410

Door frame similar to RAL 9016 (traffic white)

Glass P4A clear glass outside, Mastercarré white motif glass inside

p. 33



12640

Door frame similar to RAL 9016 (traffic white)

Glass P4A clear glass outside, sandblasted K 093 float motif glass with clear motif glass inside

p. 43



12690

Door frame similar to RAL 9016
(traffic white)

Glass P4A clear glass outside,
sandblasted Parsol grey G 6
motif glass
with clear glass strips inside

p. 44



12920

Door frame similar to RAL 9016
(traffic white)

Glass P4A clear glass outside,
sandblasted motif glass with
clear glass strips inside

p. 51



12940

Door frame similar to RAL 9016
(traffic white)

Glass P4A clear glass outside,
sandblasted motif glass with
clear glass border inside

p. 51




TIMELESS



TIMELESS DOORS




1
p. 58



2
p. 58



5
p. 59



10
p. 60



11
p. 61



12
p. 61



13
p. 62



12316
p. 69



12320
p. 70



12330
p. 70



12340
p. 71



12350
p. 72



12360
p. 73



12361
p. 73



12362
p. 74



12380
p. 74



12390
p. 75



12555
p. 82



12560
p. 83



12562
p. 84



12660
p. 85



12661
p. 85



12662
p. 86



12663
p. 86



12664
p. 87




12665
p. 88



12675
p. 89




14
p. 62



15
p. 63



12170
p. 64



12220
p. 65



12230
p. 65



12280
p. 66



12290
p. 66



12310
p. 67



12312
p. 68



12314
p. 69




12400
p. 76



12420
p. 77



12422
p. 77



12490
p. 78




12530
p. 78




12540
p. 79



12541
p. 80



12550
p. 81



12552
p. 81



12554
p. 82



12680
p. 89



12710
p. 90



12720
p. 90



12740
p. 91




12760
p. 92



12870
p. 93



12910
p. 93



12950
p. 94



12951
p. 94



12960
p. 95



UP TO
0.87 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.87




1

Door similar to RAL 9006 (white aluminium)
Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)


Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.81 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.81



2

Door in DB 703 (special-effect varnish)
Panel leaf frame covered both sides, in DB 703 (special-effect varnish)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.82


5

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)




Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.88 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

10


Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.88 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

11

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.88 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

12

Door similar to RAL 8077 (brown)
Panel leaf frame covered both sides, similar to RAL 8077 (brown)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.88 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

13

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Trim in stainless steel finish on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.88 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

14

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.88 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.23
Leaf frame covered both sides	0.88

15

- Door** similar to RAL 9006 (white aluminium)
- Panel** leaf frame covered both sides, similar to RAL 9006 (white aluminium)
- Trim** in stainless steel finish on exterior
- Glass** P4A / WSG clear glass outside, Satinato white centre, float inside
- Handle** 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.95 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.95

12170

- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Grooves** on exterior
- Glass** P4A clear glass outside, sandblasted float with motif inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



See page 96 for matching side section



UP TO
0.87 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.27
Leaf frame covered both sides	0.87


12220

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.85 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.29
Leaf frame covered both sides	0.85

12230

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Grooves on exterior
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, sandblasted with clear glass strips inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.78 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.22
Leaf frame covered both sides	0.78

12280

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Grooves** on exterior
- Trim** in stainless steel finish on exterior
- Glass** P4A clear glass outside, sandblasted Y 949 float inside
- Handle** 14030 (SG 403 / stainless steel, matt)




Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 96 for matching side section




UP TO
0.91 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.27
Leaf frame covered both sides	0.91

12290

- Door** similar to RAL 9006 (white aluminium)
- Panel** leaf frame covered both sides, similar to RAL 9006 (white aluminium)
- Grooves** on exterior
- Glass** P4A clear glass outside, sandblasted Y 594 float inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.91 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.42
Leaf frame covered both sides	0.91

12310

Door similar to RAL 7016 (anthracite grey)

Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)


Grooves on exterior

Trim in stainless steel finish on exterior

Glass P4A clear glass outside, Mastercarré white inside


Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.81 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.17
Leaf frame covered both sides	0.81

12312

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Grooves on exterior

Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.81 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.17
Leaf frame covered both sides	0.81

12314

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Grooves on exterior


Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.81 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.17
Leaf frame covered both sides	0.81

12316

Door in DB 703 (special-effect varnish)

Panel leaf frame covered both sides, in DB 703 (special-effect varnish)

Grooves on exterior

Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.89 W/M²K
 U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.41
Leaf frame covered both sides	0.89


12320

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.89 W/M²K
 U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.42
Leaf frame covered both sides	0.89

12330

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, Satinato white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.84 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.34
Leaf frame covered both sides	0.84

12340

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Decorative frame in stainless steel finish on exterior

Glass P4A clear glass outside, Satinato white inside

Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.81 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.34
Leaf frame covered both sides	0.81


12350

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Glass P4A clear glass outside, sandblasted G 30 float inside

Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.89 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.27
Leaf frame covered both sides	0.89

12360

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, Satinato white inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.82 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12361

Door in DB 703 (special-effect varnish)
Panel leaf frame covered both sides, in DB 703 (special-effect varnish)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)




Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82



12362

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.00 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.35
Leaf frame covered both sides	1.00



12380

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.83 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.34
Leaf frame covered both sides	0.83

12390

- Door** similar to RAL 9006 (white aluminium)
- Panel** leaf frame covered both sides, similar to RAL 9006 (white aluminium)
- Grooves** on exterior
- Glass** P4A clear glass outside, Satinato white inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.93 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.93

12400

- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Trim** in stainless steel finish on exterior
- Glass** P4A clear glass outside, sandblasted float inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



See page 97 for matching side section



UP TO
0.95 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	0.95


12420

Door similar to RAL 9006 (white aluminium)
Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)
Glass P4A clear glass outside, Masterpoint white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.82 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12422

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.91 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.28
Leaf frame covered both sides	0.91



12490

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Glass P4A clear glass outside, Satinato white inside
Handle 14030 (SG 403 / stainless steel, matt)


Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.02 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	1.02



12530

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Decorative frame in stainless steel finish on exterior
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
1.02 W/M²K
 U_D VALUE



U _b VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	1.02

12540

- Door** similar to RAL 3005 (wine red)
- Panel** leaf frame covered both sides, similar to RAL 3005 (wine red)
- Trim** in stainless steel finish on exterior
- Glass** P4A clear glass outside, Mastercarré white inside
- Handle** 14030 (SG 403 / stainless steel, matt)




Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.82 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.24
Leaf frame covered both sides	0.82

12541

- Door** similar to RAL 9016 (traffic white)
- Panel** leaf frame covered both sides, similar to RAL 9016 (traffic white)
- Trim** in stainless steel finish on exterior
- Glass** P4A / WSG clear glass outside, Satinato white centre, float inside
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



See page 97 for matching side section




UP TO
1.02 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.31
Leaf frame covered both sides	1.02

12550

Door similar to RAL 8077 (brown)
Panel leaf frame covered both sides, similar to RAL 8077 (brown)
Glass P4A clear glass outside, Mastercarré white inside
Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)




UP TO
0.83 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.19
Leaf frame covered both sides	0.83

12552

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.83 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.19
Leaf frame covered both sides	0.83

12554


Door similar to RAL 9006 (white aluminium)

Panel leaf frame covered both sides, similar to RAL 9006 (white aluminium)


Glass P4A / WSG clear glass outside, Mastercarré white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.83 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.19
Leaf frame covered both sides	0.83

12555


Door similar to RAL 3005 (wine red)

Panel leaf frame covered both sides, similar to RAL 3005 (wine red)

Glass P4A / WSG clear glass outside, Satinato white centre, float inside

Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.71 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.07
Leaf frame covered both sides	0.71

12560

- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Trim** in stainless steel finish on exterior
- Handle** 15098 (SG 407 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 14030 (SG 403)





UP TO
0.71 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.07
Leaf frame covered both sides	0.71

12562

- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Grooves** on exterior
- Trim** in stainless steel finish on exterior
- Handle** 1416o (SG 416 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 1416o (SG 416)



UP TO
0.74 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.26
Leaf frame covered both sides	0.74

12660

Door similar to RAL 9016 (traffic white)

Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)

Handle 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 14030 (SG 403)



UP TO
0.71 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	—
Leaf frame covered both sides	0.71

12661

Door similar to RAL 3005 (wine red)

Panel leaf frame covered both sides, similar to RAL 3005 (wine red)

Handle SG 15380 (stainless steel, matt)



Standard version design similar to RAL 9016 and handle GS 15380 — not available as glazing rebate panel due to recessed door handle



UP TO
0.71 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	—
Leaf frame covered both sides	0.71

12662

Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Handle GS 15381 (stainless steel, matt)



Standard version design similar to RAL 9016 and handle GS 15381 — not available as glazing rebate panel due to recessed door handle




UP TO
0.71 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	—
Leaf frame covered both sides	0.71

12663

Door similar to RAL 9007 (grey aluminium)
Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)
Handle GS 15379 (stainless steel, matt)



Standard version design similar to RAL 9016 and handle GS 15379 — not available as glazing rebate panel due to recessed door handle



UP TO
0.71 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	—
Leaf frame covered both sides	0.71

12664

Door similar to RAL 8077 (brown)

Panel leaf frame covered both sides, similar to RAL 8077 (brown)

Handle GS 15382/3 (stainless steel, matt)



Standard version design similar to RAL 9016 and handle GS 15382/3 — not available as glazing rebate panel due to recessed door handle





UP TO
0.71 W/M²K
 U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.07
Leaf frame covered both sides	0.71

12665

Door similar to RAL 7016 (anthracite grey)

Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)

Handle 155xx (stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 155xx




UP TO
0.71 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	—
Leaf frame covered both sides	0.71

12675

Door similar to RAL 3005 (wine red)
Panel leaf frame covered both sides, similar to RAL 3005 (wine red)
Grooves on exterior
Handle GS 15380 (stainless steel, matt)



Standard version design similar to RAL 9016 and handle GS 15380 — not available as glazing rebate panel due to recessed door handle



UP TO
0.74 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.26
Leaf frame covered both sides	0.74

12680

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Grooves in decorative milled finish on exterior side
Handle 14030 (SG 403 / stainless steel, matt)




Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 14030 (SG 403)



UP TO
1.46 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—



12710

Door similar to RAL 9007 (grey aluminium)

Panel triple glazing

Decorative field comb pattern trim in stainless steel finish

Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside

Handle 14030 (SG 403 / stainless steel, matt)


Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
1.46 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—



12720

Door similar to RAL 7016 (anthracite grey)

Panel triple glazing

Decorative field bow-shaped trim in stainless steel finish

Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 97 for matching side section






UP TO
1.46 W/M²K
 U_D VALUE



U _p VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—



12740

Door similar to RAL 3005 (wine red)

Panel triple glazing


Decorative field bow-shaped trim in stainless steel finish

Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside

Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
1.46 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12760

Door similar to RAL 9007 (grey aluminium)

Panel leaf frame covered both sides, similar to RAL 9007 (grey aluminium)

Decorative field square trim in stainless steel finish

Glass P4A / WSG clear glass outside, motif glass centre, ESG clear glass inside


Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
1.46 W/M²K
U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.46
Leaf frame covered both sides	—

12870

Door in DB 703 (special-effect varnish)
Panel leaf frame covered both sides, in DB 703 (special-effect varnish)
Glass ESG clear glass outside, Mastercarré white centre, P4A clear glass inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)



UP TO
0.83 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.83

12910

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Grooves on exterior
Trim in stainless steel finish on exterior
Glass P4A clear glass outside, clear glass inside (F 68)
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)





UP TO
0.84 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.19
Leaf frame covered both sides	0.84

12950


Door similar to RAL 7016 (anthracite grey)
Panel leaf frame covered both sides, similar to RAL 7016 (anthracite grey)
Grooves on exterior
Glass P4A clear glass outside, sandblasted F 71 float inside
Handle 14030 (SG 403 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)

See page 96 for matching side section



UP TO
0.82 W/M²K
U_D VALUE




U _D VALUES	W/m ² K
Glazing rebate panel	1.18
Leaf frame covered both sides	0.82

12951

Door similar to RAL 9016 (traffic white)
Panel leaf frame covered both sides, similar to RAL 9016 (traffic white)
Grooves on exterior
Glass P4A / WSG clear glass outside, Satinato white centre, float inside
Handle 15098 (SG 407 / stainless steel, matt)

Standard version door and aluminium glazing rebate panel similar to RAL 9016, incl. glazing insert and handle 14030 (SG 403)






UP TO
0.76 W/M²K
 U_D VALUE



U _D VALUES	W/m ² K
Glazing rebate panel	1.16
Leaf frame covered both sides	0.76

12960

- Door** in DB 703 (special-effect varnish)
- Panel** leaf frame covered both sides, in DB 703 (special-effect varnish)
- Grooves** on exterior
- Trim** in stainless steel finish on exterior
- Handle** 14030 (SG 403 / stainless steel, matt)



Standard version door and aluminium glazing rebate panel similar to RAL 9016 and handle 14030 (SG 403)

See page 97 for matching side section



MATCHING SIDE SECTIONS



12400

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted float motif glass inside

p. 76



12170

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted float motif glass with clear glass strips inside


p. 64



12280

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted Y 949 float motif glass with clear glass strips inside

p. 66



12541

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted float motif glass with clear glass border inside

p. 80



12720

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted motif glass with clear glass strips inside

p. 90



12950

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted Parsol grey G 6 motif glass with clear glass strips inside

p. 94



12960

Door frame similar to RAL 9016 (traffic white)
Glass P4A clear glass outside, sandblasted motif glass with clear glass strips inside

p. 95

BAR PUSH/PULL HANDLES

15076 +1,200 mm

15075 +1,000 mm

14030 +800 mm

14020 +600 mm

14010 +320 mm



STAINLESS STEEL, SLANTED BRACKET

+ Round, Ø 30 mm

15279 +1,600 mm

15277 +1,400 mm


15276 +1,200 mm

15275 +1,000 mm

14032 +800 mm

15220 +600 mm

15210 +320 mm



STAINLESS STEEL, STRAIGHT BRACKET

+ Round, Ø 30 mm

15692 + 2,000 mm 3. Console | Bracket

15682 + 1,800 mm 3. Console | Bracket

15672 + 1,600 mm 3. Console | Bracket

15662 + 1,400 mm


15652 + 1,200 mm

15642 + 1,000 mm

15632 + 800 mm

15622 + 600 mm

15612 + 400 mm



14160
+ 40 / 10 x 600 mm



22384
+ ENTRAsys Pull 05
+ Integrated finger scan
+ 50 / 10 x 1,000 mm



14050
+ W x H: 145 x 380 mm
+ Diameter: 30 mm



14100
+ W x H: 195 x 380 mm
+ Diameter: 30 mm

STAINLESS STEEL, STRAIGHT BRACKET

+ Rectangular, 40 / 10 mm

INTERIOR DOOR HANDLE



18600
+ Standard
+ RAL 9016, EV1, C34



18600 / 0053
+ Stainless steel



18900
+ DALLAS, stainless steel



18120/9016
+ With long plate



18120/0053
+ With long stainless steel plate



18901
+ STOCKHOLM, stainless steel

KNOBS

FOR SAFETY CATCH LOCK



27701
+ RAL 9016, EV1, C34



27701
+ Stainless steel



27900
+ DALLAS, stainless steel



27901
+ STOCKHOLM, stainless steel

ROSETTE



19023
+ Standard



190XX
+ Armoured rosette
+ Cylinder overlay

SECURITY DOOR FITTING



18903
+ Liverpool security door fitting
+ With long exterior plate
+ Knob, offset
+ Cylinder core pull-out protection
+ RAL 9016, EV1, dark brown

SCRATCH GUARD



900088/89
+ For profile cylinder face

HINGES



23040
+ Standard hinge
+ RAL 9016,
EV1, C34



23091
+ Roller hinge
+ RAL 9016,
EV1, C34



23061
+ Concealed hinge

BASE STRIP



BASE TRIM IN STAINLESS STEEL FINISH

- + Kick plate
- + Sized as needed

BIOMETRIC SYSTEMS



22055
+ ENTRAsys
finger scanner



699626
+ Slider handheld
transmitter



699523
+ Classic handheld
transmitter



26105
+ Standard cylinder
+ 60 / 40 mm with 5 key



26050
+ Knob cylinder



26020
+ Security identify card
available

LOCKS



CLOSING HOOK

The standard 3-point hook bolt lock offers a saw-proof multiple lock which hooks in the rear striker plate with two upward-locking closing hooks.

"Safe locking thanks to closing hooks!"



20066

+ 3-point hook bolt lock



DOUBLE BOLT

The 5-point hook bolt lock unites all advantages of the closing hook and solid bolt systems in a "double bolt".

"Double holds better!"



20070

+ 5-point hook bolt lock



SECURY AUTOMATIC LATCHBOLT

The convenient GU-SECURITY automatic lock system. Simply let the door click shut: The automatic latchbolts trigger 20 mm after the door is pulled shut and are then secured against pushing back movements - the door is locked without having to lock up. The lock systems can be opened from inside at any time with a lever handle and from outside with a turn the key.

"Secured without locking up!"



20027

- + Secury automatic lock
- + With 3-point deadlocked latchbolt
- + Minimum door height 1,900 mm

AUTO OPENER

The self-locking GU-SECURITY multiple lock can also be equipped with an opening motor as an option.

The locked door is unlocked from a distance, e.g. with the button of the front door intercom system or buttons from different apartments. It works by moving the automatic latchbolts of the multiple lock back with a motor after pulse generation. It can be combined with any access control system outside. For example, a contact-free system with an electric key (transponder), a door code keypad or a finger scanner. The door can also be opened mechanically with the use of the lock in the closing cylinder.

With a mounted A-opener, the lock system is well-suited for barrier-free buildings in accordance with DIN 18040.

20028

- + Secury automatic lock
- + With 3-point deadlocked latchbolt
- + A-opener function

SAFETY CATCH

The locking system with integrated door catching device and convenient operation with the knob. Particularly well-suited for flat doors and front doors in single-family homes.

SYSTEM ADVANTAGE:

- + No face-fixed lock and no chain
- + Can be locked and unlocked from inside with the knob
- + The safety catch locked from inside can be deactivated from outside via the closing cylinder



Safety catch activated from inside



Safety catch operation with knob



RAL COLOURS IN FINE TEXTURE, TRENDY AND MODERN STYLES

Groke front doors are beautifully powder-coated, and virtually any RAL colour is possible. Our standard colour similar to RAL 9016 traffic white is available in a silky gloss with a brilliance of roughly 70% - 75%. Our fine texture standard colours have a brilliance of roughly 30%. Our current selection of trendy colours can be found here:

The following variations are possible: custom RAL in fine texture, glossy or matt finish (except for "pear colours"), custom RAL on both sides of door and panel (exterior and interior), or custom RAL on door and panel exterior with interior similar to RAL 9016 traffic white.

WHITE ALUMINIUM
similar to RAL 9006

GREY ALUMINIUM
similar to RAL 9007

SPECIAL-EFFECT VARNISH
DB 703

ANTHRACITE GREY
similar to RAL 7016

BROWN
similar to RAL 8077

WINE RED
similar to RAL 3005

(standard colours)

ADDITIONAL RAL COLOUR SAMPLES PICTURED ON MODEL 12540



Door similar to
RAL 9016
(traffic white)



Door similar to
RAL 1021
(rapeseed yellow)



Door similar to
RAL 1037
(sun yellow)



Door similar to
RAL 3001
(signal red)



Door similar to
RAL 4006
(traffic purple)



Door similar to
RAL 5012
(light blue)



Door similar to
RAL 6034
(pastel turquoise)



Door similar to
RAL 7030
(stone grey)

GLASS TYPES

Available decorative glass (sample images)



Mastercarré white



Chinchilla white




Masterpoint white
Mastershine white (not pictured)



Silvit white



Float sandblasted



Ornament 504 white

WOOD FINISHES

List of wood finishes



Mature timber
FD024



Douglas fir FD003



Oak board FD023



Oak, dark FD013



Oak, rustic dark
FD018



Oak, gold FD006



Oak, light FD019



Ash FD008



Golden oak, dark
FD011



Golden oak FD017



Cherry FD005



Cherry, rustic FD009



Mahogany FD016



Rusted FD021



Sapeli FD020



Wenge FD012

FRONT DOOR CONFIGURATOR - YOUR DREAM DOOR IS JUST A FEW CLICKS AWAY

Naturally, you've got loads of ideas for your new front door. But how can you turn them into reality? And do they really match your home?

With the Configurator design tool, Groke gives you the opportunity to preview your dream door on your home in photorealistic quality – from any camera angle. Using your digital template, you can virtually install a wide range of different models and modify colours and other details, right from your own computer. The Configurator delivers realistic images so that you be certain to choose the best-looking door possible.

WWW.KREADOOR.DE



STEP 1

Take a digital picture of the entrance to your home.



STEP 2

Use the Configurator to determine which front door is the best fit for your home's entrance.



STEP 3

Select the ideal dimensions, style, colour, glass type, side sections / fanlight, and push/pull handle.



STEP 4

A simple photo composition is all it takes to visually depict your bespoke dream door right in the entrance to your home. When you're finished, you can order the door from your Groke specialist retailer using the reference number.

ENTRASys FD - OPENS YOUR GROKKE DOOR WITH A GENTLE TAP OF THE FINGER

- + Reliable biometric access control system for front doors
- + Latest-generation strip sensor with high-speed processor and low energy consumption
- + Simple access management (program/delete)
- + System cannot be manipulated: only "live" fingers can gain access
- + Memory stores approx. 50-80 fingerprints¹⁾, up to 9 of which can be assigned administrator rights
- + 4 controllable channels: e.g. front door, lighting, alarm system...
- + Encrypted, tamper-proof and secure wireless connection (FM 868,8 MHz, Somloq Rollingcode) to door receiver
- + Individual fingerprints can be deleted without requiring the presence of related users
- + Finger scanner installed at a height of approx. 1600 mm
- + Dimensions: 86 x 47 x 31 mm
- + Only in combination with a Secury automatic lock with electronic opener function




¹⁾ depending on the complexity of the fingerprints.

COMPLETE DOOR OVERVIEW



1
p. 58



2
p. 58



3
p. 20



4
p. 20



5
p. 59



6
p. 21



7
p. 22



12160
p. 25




12170
p. 64



12200
p. 26



12220
p. 65




12230
p. 65




12240
p. 27



12270
p. 27



12280
p. 66



12290
p. 66



12310
p. 67



12363
p. 28



12364
p. 28



12365
p. 29



12366
p. 30



12367
p. 31



12368
p. 31



12377
p. 32



12378
p. 32



12380
p. 74




12390
p. 75




8
p. 23




9
p. 23



10
p. 60



11
p. 61



12
p. 61



13
p. 62



14
p. 62



15
p. 63



16
p. 24



17
p. 24



12312
p. 68



12314
p. 69




12316
p. 69



12320
p. 70



12330
p. 70



12340
p. 71



12350
p. 72



12360
p. 73



12361
p. 73



12362
p. 74




12400
p. 76



12410
p. 33



12415
p. 34



12417
p. 35



12420
p. 77



12422
p. 77



12440
p. 35



12470
p. 36



12480
p. 36



12490
p. 78



12495
p. 37



12500
p. 38



12510
p. 39



12520
p. 39



12530
p. 78



12540
p. 79



12541
p. 80



12550
p. 81



12552
p. 81



12554
p. 82



12661
p. 85



12662
p. 86



12663
p. 86



12664
p. 87




12665
p. 88



12675
p. 89



12680
p. 89



12690
p. 44



12710
p. 90



12720
p. 90



12860
p. 50



12870
p. 93




12910
p. 93



12920
p. 51



12940
p. 51



12950
p. 94



12951
p. 94



12960
p. 95



12555
p. 82



12560
p. 83



12562
p. 84



12605
p. 40



12610
p. 40



12620
p. 41



12630
p. 42



12640
p. 43



12650
p. 43



12660
p. 85




12730
p. 44



12740
p. 91



12760
p. 92



12770
p. 45



12800
p. 46



12810
p. 47



12820
p. 47



12830
p. 48



12840
p. 48



12850
p. 49



EN-GB - 03/17 Subject to misprints, errors and technical changes.



GROKE TÜREN UND TORE GMBH | Wikingenstr. 10 | 76189 Karlsruhe
Tel.: 0721/59 82-0 | Fax: 0721/59 82-55 | info@groke.de | www.groke.de